RPB[®] PAINTING & COATING RANGE

ADVANCING YOUR SAFETY

PROTECTING YOU FOR LIFE'S BEST MOMENTS[®]



RPB[®] PAINTING & COATING RANGE. PROTECTING YOU...

We've grown far beyond what started in the 1970's as a task force to revolutionize protective equipment. Today, we protect you for life's best moments.

Our disruptive innovation paired with our inherited knowledge of heavy industries has transformed the quality of lives and businesses. Our charitable initiatives raise over \$150,000 annually to help ensure no family is left behind. The Green Forces is now the fastest-growing elite industrial community in the world.

Enter the RPB[®] armory, the world's most advanced front-line armor for industry professionals consisting of supplied and powered air respirators, air monitoring, filtration and safety essentials, designed to advance your safety and increase your productivity.

As we embark on a new frontier in industry, join us in helping build a better future for the new generation of elite operators and enterprises.

T-LINK[®] (page 8)

SUPPLIED & POWERED AIR (page 28)



...FOR LIFE'S BEST MOMENTS®

Those moments we experience every day. Be it a breathtaking sunset, a mountain hike, viewing the NYC skyline or just returning safely home from work to enjoy the things in life that matter most.



PRODUCT COMPARISON







	T-LINK [®]	Z-LINK [®]	T100 SERIES™	T150 SERIES™
Air supply	SAR or PAPR	SAR or PAPR	SAR or PAPR	SAR
Respirator type	Loose-fitting	Loose-fitting	Loose-fitting	Tight-fitting
Available attachments and accessories	Comfort-Link™	Comfort-Link [™]	Chin strap	Peel-off lenses
	Quiet-Link™	Quiet-Link [™]	Peel-off lenses	
	Comms-Link [™]	Comms-Link [™]		
	Vision-Link [™]	Vision-Link [™]		
	Crystal clear peel-off lenses	Welding visor	st and the second states of the	
		Crystal clear peel-off lenses		
Head protection	Optional	Yes	No	No
Hearing protection	Optional	Optional	No	No
Eye protection	Optional	Yes	Optional	Yes
Cape/hood types	Dupont [™] Tychem [®] QC	Dupont™ Tychem® QC	Dupont™ Tychem® QC	n/a
	Dupont [™] Tychem [®] SL	Dupont [™] Tychem [®] SL	Dupont [™] Tychem [®] SL	
	The a matter with the	Zytec [®] FR	사실과 것 같은 것 같아.	and the strategict
Fit testing required	No	No	No	Yes
Assigned protection factor	1000	1000	1000	500
Ideal for	High levels of overspray.	Low levels of overspray. Arc spraying;	Lightweight protection for	Confined spaces.
	Climbing around objects is required.	grinding or welding protection.	intermittent use.	
Top-rated feature	Adjustable head protection provides	Can be used for multiple applications.	Made from Dupont™ Tychem® material.	Anti-scratch, anti-fog coating that can be
	comfort and ensures the hood moves	·····································	曲於人口、正一個時間	wiped clean with thinners.
	with your head.			





T-LINK®

SUPERIOR LIGHTWEIGHT RESPIRATORY PROTECTION



\bigcirc

RPB® T-LINK®. DESIGNED TO WORK WITH YOU, NOT AGAINST YOU!

Working longer stints never felt this good. Gone are the days of having to fight against a Tyvek® respirator. The RPB® T-Link® has been designed to assist you in your work, moving with you wherever you turn.

Below are just some of the features:

- The Tyvek[®] cover is securely attached to the helmet system ensuring it will never blow up off your head!
- The large viewing window enables you to operate with a widened perspective, featuring exceptional downward and peripheral vision.
- The soft, breathable inner-bib and extra tuck-in collar directs air down your body to aid cooling.

The T-Link[®]'s padded head-liner and head suspension system provides comfort and balanced weight distribution, making it feel lighter as there are no pressure points on your head. Being fully adjustable ensures the respirator fits securely and moves with your head, allowing you to work freely without having to worry about the hood getting in the way or messing up your fresh paint job. It is simply everything you could want in a painting respirator.

For more information visit **rpbsafety.com/tlink**

PROTECTING YOU FOR LIFE'S BEST MOMENTS®

ISO9001



CE0194 EN14594:2005 EN12941:1998+A1:2003+A2:2008 TH2 P R SL

AS/NZS

CONFORMING TO AS/NZS 1716:2012

ANSI Z87+* EN166:2002

HIGH VELOCITY IMPACT FOR EYE & FACE

ANSI Z89.1* EN397:2012+A1:2012

HARD HAT PROTECTION





* Not all configurations conform to this standard. Please visit rpbsafety.com for more details.



SUPERIOR COMFORT

Optional Comfort-Link[™] padding system provides additional stability and comfort.

Shown without hood for visual purposes only.



ADAPTABLE PROTECTION

Select from a lightweight bump cap or ANSI Z89.1 certified hard hat system.

Shown without hood for visual purposes only.

PRODUCT DETAIL

The T-Link[®] includes cerlified head, eye, hearing and respiratory protection*.



Comfortable head suspension can be adjusted for height and distance from visor. 🛛 🗕

Air deflector to adjust the air direction inside the respirator. \Box —

Optional ANSI Z87+ approved safety lens. 🛛 –

Large viewing window. 🛛

Fixed lens frame ensures the lens will never hit your nose. 🗖

Crystal clear peel-off lenses available. 🛛 –

* When using the hard hat system, ANSI Z87+ lens and Quiet-Link[™] respectively.

- Option of bump cap or hard hat protection.

- Breathing tube easily attaches to respirator and swivels to eliminate tangles.

> - Ratchet adjustment from the outside of the hood (except SL version).

> > $-\Box$ 2 cape materials available: Duponl[™] Tychem® QC, Dupont[™] Tychem[®] SL.

— Soft, breathable inner-bib.

- Long tuck-in collar



for extra protection and upper body air flow.



₽[−] ADD-ONS

QUIET-LINK[™] Ear defender system.

COMFORT-LINK[™] Add comfort and stability.

COMMS-LINK[™] In-helmet communication system.



Z-LINK[®]

ELITE MULTI-PURPOSE RESPIRATORY PROTECTION



\bigcirc

DO MORE THAN JUST PAINT? WE'VE GOT YOU COVERED FOR MULTIPLE APPLICATIONS.

The RPB® Z-Link® is more than a product. It's a system. The most versatile multi-purpose respirator on the planet.

The Z-Link[®]'s large visor enables you to operate with a widened perspective. It features exceptional downward and peripheral vision combined with a visor that hinges open so you can communicate easily with your team.

The Z-Link[®]'s padded head-liner and head suspension system provides comfort and balanced weight distribution, making it feel lighter as there are no pressure points on your head. Being fully adjustable ensures the respirator fits securely and moves with your head, allowing you to work freely without having to worry about the hood getting in the way or messing up your fresh paint job.

The Z-Link[®] is ideal if your job involves multiple applications like grinding and welding or for paint booths where there is minimal overspray, as it is a permanent respirator with low part replacement costs.

For more information visit **rpbsafety.com/zlink**

PROTECTING YOU FOR LIFE'S BEST MOMENTS®



ISO9001 CERTIFIED COMPANY



CE0194 EN14594:2005 EN12941:1998+A1:2003+A2:2008 TH2P R SL

> ANSI Z87+ EN166:2002

HIGH VELOCITY IMPACT FOR EYE & FACE

ANSI Z89.1 EN397:2012+A1:2012

HARD HAT PROTECTION







SUPERIOR COMFORT

The first padded, multi-purpose respirator on the planet. A fully-adjustable, helmet padding system gives you total control of the helmet and head placement including the adjustable head band and reversible brow pad. The optional Comfort-Link[™] system provides extra stability and comfort.

Shown without cape for visual purposes only.



- ANSI Z89.1 certified hard hat.

Dupont[™] Tychem® QC, Dupont[™] Tychem® SL or Zytec® FR.

\$ ADD-ONS

QUIET-LINK[™] Ear defender system.

COMFORT-LINK[™] Add comfort and stability.

COMMS-LINK[™] In-helmet communication system.

T100" SERIES

LIGHTWEIGHT PROTECTION



LIGHTWEIGHT PROTECTION

The RPB® T100[™] Series is a cost-effective disposable respirator. The economical option that provides lightweight protection and premium quality.

Used throughout a variety of industries from industrial spray painting to chemical handling, the T100[™] has been designed to be robust enough to reuse but cost effective enough to discard after use.

It is manufactured from DuPont[™] Tychem[®] and offers superior comfort compared to conventional, tight, full-face respirators. The hood protects your entire head, eliminating the need for a head sock. A large variety of hood options with different features are available, including the option of the unique ANSI Z87+ high velocity impact lens.

Users with facial hair commonly convert to loose-fitting respirators so they don't jeopardize their protection. There is no fit-testing required, saving you time and money, while maintaining OSHA compliance.

For more information visit **rpbsafety.com/t100**

ISO900I CERTIFIED COMPANY



ANSI Z87+ EN166:2002

HIGH VELOCITY IMPACT FOR EYE & FACE

PRODUCT DETAIL

Large lens providing excellent peripheral and downward vision.

Optional ANSI Z87+ high velocity impact protection lens. 🗆—

Tuck-in collar directs air over the upper body to provide additional cooling.



PROTECTING YOU FOR LIFE'S BEST MOMENTS®

Air duct directs the airflow to the operator's breathing zone.

•••••• Optional barrier seal for more demanding environments.

rpbim

Peel-off lenses protect the main lens from chemical splash, spray drift and dust. RPB® PAINTING & COATING RANGE $\left| egin{smallmatrix} & & & \\ & & & \\ & & & & \\ & & & & \\ & & & & & & \\ & & &$

T150[™] SERIES

THE ULTIMATE AIR SUPPLIED FULL-FACE RESPIRATOR

THE AGILITY YOU NEED FOR CONFINED SPACES

The RPB® T150[™], NIOSH approved, Type C respirator offers operators superior vision and safety across a spectrum of applications from chemical stripping to spray painting and coating.

The T150[™] is manufactured from polycarbonate, making it robust, yet comfortable enough for all-day protection. It has an adjustable six-point harness and a soft silicone or thermoplastic (TPR) face seal that fits perfectly to the contours of the user's face, creating an airtight seal. It also features a panoramic lens that has been specially treated to prevent fog, scratches and acid wear and tear.

Protect the main lens from chemical splash, spray drift or dust with peel-off protective lenses. Pre-folded tabs ensure you can quickly tear off just one layered lens at a time.

When operating in confined space applications requiring a full-face respirator, work in comfort with the knowledge that you and your team are receiving the most elite protection available.

CERTIFIED COMPANY





PRODUCT DETAIL

Polycarbonate lens protects your face from overspray and debris. It's acid-resistant coating allows it to be cleaned with thinners.

Air distribution system provides an anti-fog barrier to the inside of the lens.

and the second s

For more information visit **rpbsafety.com/t150**

Panoramic visor provides undistorted vision.

Soft silicone (green) or thermoplastic (TPR, gray) face seals guarantee a perfect fit.

> Soft silicone inner face seal fits comfortably over mouth and nose.

44 (111) (111) (111) (111) (111) (111) (111)

SUPPLIED & POWERED AIR

AIR SUPPLY OPTIONS



rpa

00

SUPPLIED AIR

The RPB® painting and coating range can be connected to compressed air using the following components:



GX4® GAS MONITOR

Have complete confidence in the air you and your team breathe with the GX4®, an intelligent gas monitor that has the ability to detect up to 4 gases simultaneously.



RADEX® AIRLINE FILTER

The Radex® Airline Filter exceeds industry filtration standards so you can be assured that you and your team won't suffer the consequences of breathing contaminated air.



C40[™] CLIMATE CONTROL DEVICE*

The C40^m can heat and cool your supplied air as desired. With the slide of a lever, you can switch from heating to cooling ensuring you are always comfortable. The C40^m can cool the incoming air by up to 52° and heat it by up to 33°.





POWERED AIR

The RPB® PX4 Air® is a robust and versatile Powered Air Purifying Respirator (PAPR) that provides clean breathing air.

The PX4 Air® optimizes user safety, comfort and portability. It is NIOSH and CE certified and exceeds the requirements of AS/NZS, so the user can enjoy clean breathing air without the restriction of attached airlines, giving them complete flexibility to move around as their job requires.*



* PX4 Air[®] may not be suitable for some applications and environments. Check your environment for suitability.





PROTECTING YOU FOR LIFE'S BEST MOMENTS®

بططع

WARNING PRODUCT SELECTION

- Determine what type of protection is required for your activity. As applicable, check your workplace safety program, respiratory protection program, and standards and regulations for your activity or industry.
- 2. Check product specifications. Contact RPB® or check the product instruction manual (downloadable from rpbsafety.com) for complete specifications, including approvals, standards, and regulations to which the product conforms.
- 3. Make sure you have a complete system. Verify that you have or are purchasing all required components. System requirements are available from RPB[®] or in product instruction manuals.

Selecting inappropriate or incomplete equipment, including the use of counterfeit or non-RPB[®] parts, can result in inadequate protection and will void the NIOSH approval of the entire respirator.

©2017 No portion of this brochure may be copied, duplicated or otherwise used without express written permission of RPB® Safety LLC.

RPB®, Z-Link®, Zytec®, PX4®, GX4®, Radex®, 'Advancing your safety®' and 'Protecting you for life's best moments®' are registered trademarks of RPB® Safety LLC.

Dupont™ Tyvek® and Tychem® is a registered trademark of E.I. du Pont de Nemours and Company or its affiliates.



WANT TO KNOW MORE? CONTACT US

rpbsafety.com

Find your distributor **rpbsafety.com/find-your-distributor** Request a quote **rpbsafety.com/request-a-quote** Start your 30 day trial **rpbsafety.com/30-day-trial**

Or call us toll-free at 1-866-494-4599



f rpbsafety



search 'rpbsafety'



safety' 🖸 i

) rpbsafety

